

=====

Sequence Listing was accepted.

If you need help call the Patent Electronic Business Center at (866)  
217-9197 (toll free).

Reviewer: Anne Corrigan

Timestamp: [year=2010; month=2; day=8; hr=13; min=48; sec=13; ms=380; ]

=====

Application No: 10539288

Version No: 1.0

**Input Set:****Output Set:****Started:** 2010-01-27 14:08:05.040**Finished:** 2010-01-27 14:08:07.979**Elapsed:** 0 hr(s) 0 min(s) 2 sec(s) 939 ms**Total Warnings:** 79**Total Errors:** 0**No. of SeqIDs Defined:** 79**Actual SeqID Count:** 79

Error code	Error Description
W 213	Artificial or Unknown found in <213> in SEQ ID (1)
W 213	Artificial or Unknown found in <213> in SEQ ID (2)
W 213	Artificial or Unknown found in <213> in SEQ ID (3)
W 213	Artificial or Unknown found in <213> in SEQ ID (4)
W 213	Artificial or Unknown found in <213> in SEQ ID (5)
W 213	Artificial or Unknown found in <213> in SEQ ID (6)
W 213	Artificial or Unknown found in <213> in SEQ ID (7)
W 213	Artificial or Unknown found in <213> in SEQ ID (8)
W 213	Artificial or Unknown found in <213> in SEQ ID (9)
W 213	Artificial or Unknown found in <213> in SEQ ID (10)
W 213	Artificial or Unknown found in <213> in SEQ ID (11)
W 213	Artificial or Unknown found in <213> in SEQ ID (12)
W 213	Artificial or Unknown found in <213> in SEQ ID (13)
W 213	Artificial or Unknown found in <213> in SEQ ID (14)
W 213	Artificial or Unknown found in <213> in SEQ ID (15)
W 213	Artificial or Unknown found in <213> in SEQ ID (16)
W 213	Artificial or Unknown found in <213> in SEQ ID (17)
W 213	Artificial or Unknown found in <213> in SEQ ID (18)
W 213	Artificial or Unknown found in <213> in SEQ ID (19)
W 213	Artificial or Unknown found in <213> in SEQ ID (20)

**Input Set:**

**Output Set:**

**Started:** 2010-01-27 14:08:05.040  
**Finished:** 2010-01-27 14:08:07.979  
**Elapsed:** 0 hr(s) 0 min(s) 2 sec(s) 939 ms  
**Total Warnings:** 79  
**Total Errors:** 0  
**No. of SeqIDs Defined:** 79  
**Actual SeqID Count:** 79

Error code

Error Description

This error has occurred more than 20 times, will not be displayed

# SEQUENCE LISTING

<110> Nuevolution A/S

<120> Quasirandom structure and function guided synthesis methods

<130> P896PC00

<140> 10539288

<141> 2010-01-27

<150> PCT/DK03/00921

<151> 2002-12-19

<150> US 60/434,386

<151> 2002-12-19

<150> US 60/507,111

<151> 2003-10-01

<160> 79

<170> PatentIn version 3.1

<210> 1

<211> 12

<212> DNA

<213> Artificial Sequence

<220>

<223> The oligonucleotides were prepared by conventional phosphoramidite synthesis.

<220>

<221> misc\_feature

<222> (5)..(8)

<223> N denotes a random nucleobase, preferably selected from G, A, C, T, or U

<400> 1

gcggnnnnncg cg

12

<210> 2

<211> 12

<212> DNA

<213> Artificial Sequence

<220>

<223> Scaffold like CCPN's type A's

<400> 2

gcggattacg cg

12

<210> 3

<211> 12

<212> DNA

<213> Artificial Sequence

<220>

<223> The oligonucleotides were prepared by conventional phosphoramidite synthesis

<400> 3

gcggaattcg cg

12

<210> 4

<211> 12

<212> DNA

<213> Artificial Sequence

<220>

<223> The oligonucleotides were prepared by conventional phosphoramidite synthesis

<220>

<221> misc\_feature

<222> (5)..(8)

<223> N denotes a random nucleobase, preferably selected from G, A, C, T, or U

<400> 4

taatnnnntt aa

12

<210> 5

<211> 12

<212> DNA

<213> Artificial Sequence

<220>

<223> The oligonucleotides were prepared by conventional phosphoramidite synthesis

<400> 5

taatgccgtt aa

12

<210> 6

<211> 12

<212> DNA

<213> Artificial Sequence

<220>

<223> The oligonucleotides were prepared by conventional phosphoramidite synthesis

<400> 6

taatgggctt aa

12

<210> 7

<211> 22

<212> DNA

<213> Artificial Sequence

<220>

<223> The oligonucleotides were prepared by conventional phosphoramidite synthesis

<220>

<221> misc\_feature

<222> (10)..(13)

<223> N denotes a random nucleobase, preferably selected from G, A, C, T, or U

<400> 7

tttttggaan nnnagagttt tt

22

<210> 8

<211> 22

<212> DNA

<213> Artificial Sequence

<220>

<223> The oligonucleotides were prepared by conventional phosphoramidite synthesis

<400> 8

tttttggaac cttagagttt tt

22

<210> 9

<211> 22

<212> DNA

<213> Artificial Sequence

<220>

<223> The oligonucleotides were prepared by conventional phosphoramidite synthesis

<400> 9

tttttgggaac ttcagagttt tt 22

<210> 10

<211> 12

<212> DNA

<213> Artificial Sequence

<220>

<223> The oligonucleotides were prepared by conventional phosphoramidite synthesis

<220>

<221> misc\_feature

<222> (5)..(8)

<223> N denotes a random nucleobase, preferably selected from G, A, C, T, or U

<400> 10

ggttnnnnngt tg 12

<210> 11

<211> 12

<212> DNA

<213> Artificial Sequence



<220>

<223> The oligonucleotides were prepared by conventional phosphoramidite synthesis

<220>

<221> misc\_feature

<222> (5)..(8)

<223> N denotes a random nucleobase, preferably selected from G, A, C, T, or U

<400> 11

accannnncc aa

12

<210> 12

<211> 12

<212> DNA

<213> Artificial Sequence

<220>

<223> All nucleotides herein are prepared by conventional phosphoramidite synthesis

<220>

<221> misc\_feature

<222> (5)..(8)

<223> N denotes a random nucleobase, preferably selected from G, A, C, T, or U

<400> 12

tctcnnnncc tt

12

<210> 13

<211> 25

<212> DNA

<213> Artificial Sequence

<220>

<223> The oligonucleotides were prepared by conventional phosphoramidite synthesis

<220>

<221> misc\_feature

<222> (5)..(8)

<223> N denotes a random nucleobase, preferably selected from G, A, C, T, or U

<220>

<221> misc\_feature

<222> (22)..(25)

<223> N denotes a random nucleobase, preferably selected from G, A, C, T, or U

<400> 13

cgcgnnnncc gcaaaaactc tnnnn

25

<210> 14

<211> 25

<212> DNA

<213> Artificial Sequence

<220>

<223> The oligonucleotides were prepared by conventional phosphoramidite synthesis

<400> 14

cgcgtaatcc gcaaaaactc taagg

25

<210> 15

<211> 33

<212> DNA

<213> Artificial Sequence

<220>

<223> The oligonucleotides were prepared by conventional phosphoramidite synthesis

<220>

<221> misc\_feature

<222> (14)..(17)

<223> N denotes a random nucleobase, preferably selected from G, A, C, T, or U

<220>

<221> misc\_feature

<222> (26)..(29)

<223> N denotes a random nucleobase, preferably selected from G, A, C, T, or U

<400> 15

ttccaaaaac aacnnnnaac cttggnnnnt ggt

33

<210> 16

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> The oligonucleotides were prepared by conventional phosphoramidite synthesis

<220>

<221> misc\_feature

<222> (14)..(17)

<223> N denotes a random nucleobase, preferably selected from G, A, C,  
T, or U

<400> 16

ttccaaaaaac aacnnnnaac c

21

<210> 17

<211> 10

<212> DNA

<213> Artificial Sequence

<220>

<223> The oligonucleotides were prepared by conventional phosphoramidit  
e synthesis

<220>

<221> misc\_feature

<222> (1)..(1)

<223> n represents inosine (I)

<220>

<221> misc\_feature

<222> (3)..(3)

<223> n represents inosine (I)

<220>

<221> misc\_feature

<222> (5)..(5)

<223> n represents inosine (I)

<400> 17  
ntntntggtg

10

<210> 18

<211> 10

<212> DNA

<213> Artificial Sequence

<220>

<223> The oligonucleotides were prepared by conventional phosphoramidite synthesis

<220>

<221> misc\_feature

<222> (1)..(1)

<223> n represents inosine (I)

<220>

<221> misc\_feature

<222> (3)..(3)

<223> n represents inosine (I)

<220>

<221> misc\_feature

<222> (5)..(5)

<223> n represents inosine (I)

<400> 18  
ntntntgggt

10

<210> 19

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> The oligonucleotides were prepared by conventional phosphoramidite synthesis

<220>

<221> misc\_feature

<222> (1)..(1)

<223> n represents inosine (I)

<220>

<221> misc\_feature

<222> (3)..(3)

<223> n represents inosine (I)

<220>

<221> misc\_feature

<222> (5)..(5)

<223> n represents inosine (I)

<220>

<221> misc\_feature

<222> (13)..(13)

<223> n represents inosine (I)

<220>

<221> misc\_feature

<222> (15)..(15)

<223> n represents inosine (I)

<220>

<221> misc\_feature

<222> (18)..(18)

<223> n represents inosine (I)

<400> 19

ntntntgggtt ttntnttntg

20

<210> 20

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> The oligonucleotides were prepared by conventional phosphoramidite synthesis

<220>

<221> misc\_feature

<222> (1)..(1)

<223> n represents inosine (I)

<220>

<221> misc\_feature

<222> (3)..(3)

<223> n represents inosine (I)

<220>

<221> misc\_feature

<222> (5)..(5)

<223> n represents inosine (I)

<220>

<221> misc\_feature

<222> (13)..(13)

<223> n represents inosine (I)

<220>

<221> misc\_feature

<222> (15)..(15)

<223> n represents inosine (I)

<220>

<221> misc\_feature

<222> (18)..(18)

<223> n represents inosine (I)

<400> 20

ntntntgggg ggntnttntg

20

<210> 21

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> The oligonucleotides were prepared by conventional phosphoramidite synthesis

<220>



<221> misc\_feature  
<222> (1)..(1)  
<223> n represents inosine (I)

<220>

<221> misc\_feature  
<222> (5)..(5)  
<223> n represents inosine (I)

<220>

<221> misc\_feature  
<222> (13)..(13)  
<223> n represents inosine (I)

<220>

<221> misc\_feature  
<222> (15)..(15)  
<223> n represents inosine (I)

<220>

<221> misc\_feature  
<222> (18)..(18)  
<223> n represents inosine (I)

<220>

<221> misc\_feature  
<222> (3)..(3)  
<223> n represents inosine (I)

<400> 21  
ntntntggtg tgntnttntg

20

<210> 22

<211> 10

<212> DNA

<213> Artificial Sequence

<220>

<223> The oligonucleotides were prepared by conventional phosphoramidite synthesis

<220>

<221> misc\_feature

<222> (5)..(5)

<223> n represents inosine (I)

<220>

<221> misc\_feature

<222> (8)..(8)

<223> n represents inosine (I)

<220>

<221> misc\_feature

<222> (3)..(3)

<223> n represents inosine (I)

<400> 22  
gtntnttntg

10

<210> 23

<211> 10

<212> DNA

<213> Artificial Sequence

<220>

<223> The oligonucleotides were prepared by conventional phosphoramidite synthesis

<220>

<221> misc\_feature

<222> (3)..(3)

<223> n represents inosine (I)

<220>

<221> misc\_feature

<222> (5)..(5)

<223> n represents inosine (I)

<220>

<221> misc\_feature

<222> (8)..(8)

<223> n represents inosine (I)

<400> 23  
ttntnttntg

10

<210> 24

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> The oligonucleotides were prepared by conventional phosphoramidite synthesis

<220>

<221> misc\_feature

<222> (1)..(1)

<223> N denotes a random nucleobase

<220>

<221> misc\_feature

<222> (2)..(2)

<223> N denotes a random nucleobase

<220>

<221> misc\_feature

<222> (19)..(19)

<223> N denotes a random nucleobase

<220>

<221> misc\_feature

<222> (20)..(20)

<223> N denotes a random nucleobase

<400> 24

nnccacacac cacaacacnn

20

<210> 25

<211> 10

<212> DNA

<213> Artificial Sequence

<220>

<223> The oligonucleotides were prepared by conventional phosphoramidite synthesis

<220>

<221> misc\_feature

<222> (1)..(1)

<223> N denotes a random nucleobase

<220>

<221> misc\_feature

<222> (2)..(2)

<223> N denotes a random nucleobase

<400> 25  
nnccacacac

10

<210> 26

<211> 10

<212> DNA

<213> Artificial Sequence

<220>

<223> The oligonucleotides were prepared by conventional phosphoramidite synthesis

<220>

<221> misc\_feature

<222> (1)..(2)

<223> N denotes a random nucleobase

<220>

<221> misc\_feature  
<222> (3)..(3)  
<223> N denotes inosine (I)

<220>

<221> misc\_feature  
<222> (5)..(5)  
<223> N denotes inosine (I)

<220>

<221> misc\_feature  
<222> (8)..(8)  
<223> N denotes inosine (I)

<400> 26  
nnntnttntg

10

<210> 27  
<211> 50  
<212> DNA  
<213> Artificial Sequence

<220>

<223> The oligonucleotides were prepared by conventional phosphoramidite synthesis

<220>

<221> misc\_feature  
<222> (3)..(7)  
<223> N denotes a random nucleobase

<220>

<221> misc\_feature

<222> (14)..(17)

<223> N denotes a random nucleobase

<220>

<221> misc\_feature

<222> (24)..(27)

<223> N denotes a random nucleobase

<220>

<221> misc\_feature

<222> (34)..(37)

<223> N denotes a random nucleobase

<220>

<221> misc\_feature

<222> (44)..(48)

<223> N denotes a random nucleobase

<400> 27

gcnnnnnacg cgannntac gtannntgt cacnnntcg tcannnnngc

50

<210> 28

<211> 30

<212> DNA

<213> Artificial Sequence

<220>

<223> The oligonucleotides were prepared by conventional phosphoramidite synthesis

<220>

<221> misc\_feature

<222> (3)..(7)

<223> N denotes a random nucleobase

<220>

<221> misc\_feature

<222> (14)..(17)

<223> N denotes a random nucleobase

<220>

<221> misc\_feature

<222> (24)..(28)

<223> N denotes a random nucleobase

<400> 28

gcnnnnntca tctnnnngcg tacnnnnngc

30

<210> 29

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> The oligonucleotides were prepared by conventional phosphoramidite synthesis

<400> 29

gcctatgtga cgaatctgtg

20

<210> 30



<211> 5

<212> DNA

<213> Artificial Sequence

<220>

<223> The oligonucleotides were prepared by conventional phosphoramidite synthesis

<220>

<221> modified\_base

<222> (5)..(5)

<223> 3'-amino-group, Glen research cat#20-2958-01

<400> 30

gattc

5

<210> 31

<211> 5

<212> DNA

<213> Artificial Sequence

<220>

<223> The oligonucleotides were prepared by conventional phosphoramidite synthesis

<220>

<221> modified\_base

<222> (1)..(1)

<223> amino modifier, Glen research cat#10-1905-90 suitable for attachment of chemical entities.

<400> 31

gaatc

5

<210> 32

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> The oligonucleotides were prepared by conventional phosphoramidite synthesis

<220>

<221> modified\_base

<222> (20)..(20)

<223> 5'-phosphate

<400> 32

atgcgtaccg cgattcatgc

20

<210> 33

<211> 5

<212> DNA

<213> Artificial Sequence

<220>

<223> The oligonucleotides were prepared by conventional phosphoramidite synthesis

<220>

<221> modified\_base

<222> (1)..(1)

<223> N represents an amino modifier, Glen research cat#10-1905-90 suitable for attachment of chemical entities.

<400> 33

gaatc

5

<210> 34

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> The oligonucleotides were prepared by conventional phosphoramidite synthesis

<220>

<221> modified\_base

<222> (20)..(20)

<223> 5'-phosphate

<400> 34

cgctgcaaga tgaattctgc

20

<210> 35

<211> 22

<212> DNA

<213> Artificial Sequence

<220>

<223> The oligonucleotides were prepared by conventional phosphoramidite synthesis

<400> 35

gattcctagg atgcatatta ca

22

<210> 36

<211> 24

<212> DNA

<213> Artificial Sequence

<220>

<223> The oligonucleotides were prepared by conventional phosphoramidite synthesis

<400> 36

gctgtaatat gcacccctagg aatc 24

<210> 37

<211> 17

<212> DNA

<213> Artificial Sequence

<220>

<223> The oligonucleotides were prepared by conventional phosphoramidite synthesis

<220>

<221> modified\_base

<222> (1)..(1)

<223> 5'-phosphate

<400> 37

tgccagtagtc gtaactg 17

<210> 38

<211> 19

<212> DNA

<213> Artificial Sequence

<220>

<223> The oligonucleotides were prepared by conventional phosphoramidite synthesis

<400> 38  
cagttacgac tactgcagc

19

<210> 39

<211> 26

<212> DNA

<213> Artificial Sequence

<220>

<223> The oligonucleotides were prepared by conventional phosphoramidite synthesis

<220>

<221> modified\_base

<222> (1)..(1)

<223> modified with biotin, Applied Biosystems

<220>

<221> misc\_feature

<222> (1)..(2)

<223> n denotes inosine (I)

<400> 39  
nngattccta ggatgcatat tacagc

26

<210> 40

<211> 19

<212> DNA

<213> Artificial Sequence

<220>

<223> The oligonucleotides were prepared by conventional phosphoramidite synthesis

<400> 40  
cagttacgac tactgcagc 19

<210> 41

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> The oligonucleotides were prepared by conventional phosphoramidite synthesis

<400> 41  
gattcctagg atgcatatta c 21

<210> 42

<211> 80

<212> DNA

<213> Artificial Sequence